

Til alle brugere af AEM

To all users of EMED (English below)



INFORMATION OM RENOVERING AF AVLSAFSNIT 10.4 PÅ AFDELING FOR EKSPERIMENTEL MEDICIN

7. JUNI 2023

(Please find the English version below)

BLEGDAMSVEJ 3B
KØBENHAVN N

AEM har i samarbejde med CAS udarbejdet en renoveringsplan for etage 4 i bygning 10, for at kunne tilbyde moderne og tidssvarende faciliteter for fremtidens forskning. Der foreligger allerede nu en tidsplan, som bl.a. omfatter at **etagen skal afleveres tomt for dyr til bygherren i slutningen af april 2024**. Selve renovering af etagen er planlagt for perioden maj 2024 til april 2025.

DIR 35 32 53 33
MOB 40 49 88 21

peter.bollen@sund.ku.dk
<https://emed.ku.dk/>

I denne forbindelse vil jeg allerede nu orientere jer om, at AEM arbejder på en plan for tømning af 10.4. Da etagen anvendes som avlsafsnit for mus, vil planen omfatte forslag til at kunne fortsætte denne aktivitet andet steds. Vores mål er at påvirke avlsaktiviteter og forskning mindst muligt, men der må dog påregnes en reduceret kapacitet.

Derfor vil jeg allerede nu bede brugere af avlsafsnittet på 10.4 om at gennemgå deres igangværende avl, og begynde at reducere volumen hvor dette er muligt, samt at gennemgå planlagte forskningsprojekter frem til april 2025, og vurdere hvilke minimumsomfang for avl der er behov for. **Dette gælder ligeledes for forskere med avlsaktiviteter på 10.2, da en del af avlen på 10.4 formentlig vil blive flyttet til 10.2.**

AEM vil i dialog med forskningsgrupperne udarbejde en individuel plan for hver forskningsgruppe, og vil med henblik herpå tage kontakt til forskningsgrupperne i perioden fra medio august til slutning af september.

**RE. INFORMATION ABOUT THE RENOVATION OF BREEDING SECTION
10.4 AT THE DEPARTMENT OF EXPERIMENTAL MEDICINE**

SIDE 2 AF 2

AEM, in collaboration with CAS, has drawn up a renovation plan for floor 4 in building 10, in order to offer modern and up-to-date facilities for future research. A timetable has been drawn, which, among other things, includes that **the floor must be delivered empty of animals to CAS at the end of April 2024**. The actual renovation of the floor is planned for the period May 2024 to April 2025.


In this connection, we already now inform you that AEM is working on a plan for emptying 10.4. Since the floor is used as a breeding section for mice, the plan will include proposals to be able to continue this activity elsewhere. Our goal is to affect breeding activities and research as little as possible, but a reduced capacity must be expected.

Therefore, I would already now ask users of the breeding section of 10.4 to review their ongoing breeding, and start reducing the volume where this is possible, as well as review planned research projects until April 2025, and assess what the needed absolute minimum level of breeding volume is.

This also applies to researchers with breeding activities on 10.2, as part of the breeding on 10.4 likely will be merged with 10.2.

AEM will, in dialogue with the research groups, prepare an individual plan for each research group, and for this purpose will contact the research groups in the period from mid-August to the end of September.

With kind regards,

A handwritten signature in black ink, appearing to read 'Bollen', written over a horizontal line. The signature is stylized and cursive.

Peter Bollen
professor, head of department
Department of Experimental Medicine